


4 in 1 Counter Bore Inserts

MM / tandard size dimensions - DIN974



Inserts 6 PCS / Box
Only for insert : D26 - 2010



Inserts 10 PCS / Box

Dimensions (mm)						Counterbore Screw size
D	D1	D2	L	L1	AE	MM
4	6.5	8	3	3.6	2	M3.0
5	8	10	4	4.8	2.5	M4.0
6	10	12	5	5.95	3	M5.0
7	11		6	7.1		M6.0
9.5	15	16	8	9.55		M8.0
11.5	18	20	10	11.9	3.5	M10


* For other sizes, customization is acceptable.

Inserts	Order Code	Grades										Corresponding shank
		Carbide					Cermet			Uncoated		
		B100	C125	C350	F20	F30	CE25	CE100	CE60	K10	CE	
	D26-0803-E											14-0803-70 14-0803-90
	D26-0803-ME	⊙										
	D26-0803T-M	⊙										14-1004-80 14-1004-100
	D26-1004-E											
	D26-1004-ME	⊙										
	D26-1004T-M	⊙										
	D26-1205-E											14-1206-80 14-1206-110
	D26-1205-ME	⊙										
	D26-1205T-M	⊙										
	D26-1206-E											
	D26-1206-ME	⊙										
	D26-1206T-M	⊙										
	D26-1608-E											14-1208-70 14-1608-100 14-1608-130
	D26-1608-ME	⊙										
	D26-1608T-M	⊙										
	D26-2010-E											14-1210-70 14-2010-100 14-2010-140
	D26-2010-ME	⊙										
	D26-2010T-M	⊙										

- Cast Iron/ Stainless Steel / Super alloy Aluminum Steel/ Cast Iron/ Hardness steel
- Prices and stocks are based on present conditions
- Please specify model numbers and the grade of inserts, ie.: D26-0803-E, F20

4 in 1 Counter Bore Inserts

MM / tandard size dimensions - JIS



Inserts 6 PCS / Box
Only for insert : J26 - 2010



Inserts 10 PCS / Box

Dimensions (mm)							Counterbore Screw size
D	D1	D2	L	L1	AE		MM
4	6.5	8	3	3.6	2		M3.0
5	8	10	4	4.8	2.5		M4.0
6	9.5	12	5	5.95			M5.0
7	11		6	7.1	3		M6.0
9.5	14	16	8	9.55			M8.0
11.5	17.5	20	10	11.9	3.5		M10

* For other sizes, customization is acceptable.

Inserts	Order Code	Grades										Corresponding shank
		Carbide					Cermet			Uncoated		
		B100	C125	C350	F20	F30	CE25	CE100	CE60	K10	CE	
	J26-0803-E											14-0803-70 14-0803-90
	J26-0803-ME	⊙										
	J26-0803T-M	⊙										14-1004-80 14-1004-100
	J26-1004-E											
	J26-1004-ME	⊙										
	J26-1004T-M	⊙										14-1206-80 14-1206-110
	J26-1205-E											
	J26-1205-ME	⊙										
	J26-1205T-M	⊙										
	J26-1206-E											
	J26-1206-ME	⊙										
	J26-1206T-M	⊙										14-1208-70 14-1608-100 14-1608-130
	J26-1608-E											
	J26-1608-ME	⊙										
	J26-1608T-M	⊙										14-1210-70 14-2010-100 14-2010-140
	J26-2010-E											
	J26-2010-ME	⊙										
	J26-2010T-M	⊙										


- ⊙ Cast Iron/ Stainless Steel / Super alloy ■ Aluminum ■ Steel/ Cast Iron/ Hardness steel
- Prices and stocks are based on present conditions
- Please specify model numbers and the grade of inserts, ie.: J26-0803-E, F20




4 in 1 Ejector Pin Counter Bore Inserts



Inserts 6 PCS / Box
Only for insert : 27-2013T



Inserts 10 PCS / Box



Dimensions (mm)						Ejector Pin Screw Size
D	D1	D2	L	L1	AE	MM
5.5	9	10	5	5.85	2.5	5.0
6.5	10	12		6.05	3.0	6.0
8.5	12	16		6.40		8.0
10.5	14			6.75		10
13.5	17	20		7.25	3.5	13

* For other sizes, customization is acceptable.

Inserts	Order Code	Grades										Corresponding shank
		Carbide					Cermet		Uncoated			
		B100	CI25	C350	F20	F30	CE25	CE100	CE60	K10	CE	
	27-1005T-M											14-1004-80 14-1004-100
	27-1206T-M											14-1206-80 14-1206-110
	27-1608T-M											14-1208-70 14-1608-100 14-1608-130
	27-1610T-M											
	27-2013T-M											14-1210-70 14-2010-100 14-2010-140

- Steel/ Cast Iron/ Hardness steel
- Prices and stocks are based on present conditions
- Please specify model numbers the and grade of inserts, ie.: 27-1005T-M, B100