



Державки Combi для фрез Chamfer King

CBH



Обозначение	Размеры (мм)						
	d	d1	L1	L2	L	M	KG
CBH-1009-100	10	9	60	20	80	M6	0.05
CBH-1211-120	12	11	80		100		0.09
CBH-1211-140			100		120		0.11
CBH-1616-100	16	16	-	-	70	M8	0.11
CBH-1615-120		15	70	20	90		0.14
CBH-1615-150			95	25	120		0.18
CBH-3232-120	32	32	-	-	80	M16	0.48
CBH-3230-140		30	80	20	100		0.56
CBH-3230-200			130	30	160		0.92
CBH-3230-240			170		200		1.16
CBH-3230-300			210	50	260		1.53


MTH



Обозначение	Размеры (мм)							
	D	D1	L	L1	L2	M	MT	KG
MTH-3	30	23.83	140	40	100	M16	3	0.50
MTH-4	31.6	-	165		125	M16	4	0.60

ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ

Державка Combimaster




СВН

Обозначение	Размеры (мм)									
	d	d1	d2	d3	L1	L2	L	M		
СВН-1010-80	10	10	10	6.5	-	-	60	M6	0.04	
СВН-1009-100		9	9		60	20	80		0.05	
СВН-1212-80	12	12	12		-	-	60			0.07
СВН-1211-100		11	11		60	20	80			
СВН-1211-120					80		100		0.09	
СВН-1211-140					100		120			
СВН-1616-100	16	16	16	8.5	-	-	70	M8	0.14	
СВН-1615-120		15	15		70	20	90			
СВН-1615-150					95	25	120			0.18

Державка Combimaster

CBH




Обозначение	Размеры (мм)								
	d	d1	d2	d3	L1	L2	L	M	 KG
CBH-2020-100	20	20	20	10.5	-	-	70	M10	0.16
CBH-2019-120		19	19		70	20	90		0.21
CBH-2019-160					95	25	120		0.28
CBH-2523-130	25	23	23	14	70	20	90	M12	0.31
CBH-2523-170					100	30	130		0.46
CBH-2523-210					140		170		0.60
CBH-2523-240					170		200		0.72
CBH-2525-110		25	25		-	-	70		0.25
CBH-3232-120	32	32	30	22	-	-	80	M16	0.48
CBH-3230-140		30			80	20	100		0.56
CBH-3230-200					130	30	160		0.92
CBH-3230-240					170		200		1.16
CBH-3230-280		32			32	190	50		240
CBH-3230-300			210			260			1.53
CBH-4240-220	42	40	40	28	130	20	150	M18	
CBH-50.849-215	50.8	49	49	36				M25	2.14
CBH-50.849-265								170	30

Оснастка



Державка Combimaster

CBH



Обозначение	Размеры (мм)								
	d	d1	d2	d3	L1	L	M	Q	 KG
CBH-1209-120	12	9	11.9	6.5	40	100	M6	2 °	0.10
CBH-1611-120	16	11	15.5		60	130			0.13
CBH-1611-150								2.5 °	
CBH-2015-160	20	15	19.5	8.5	70	150	M8	2 °	0.25
CBH-2015-180					80	200			0.30
CBH-2015-230					70	150			0.43
CBH-2519-180	25	19	24	10.5	90	190	M10		0.47
CBH-2519-220					75	160			0.62
CBH-3223-200	32	23	28	14	75	160	M12		0.81
CBH-3223-240			31.5		80	200			1.10
CBH-4232-280	42	32	41.5	22	110	240	M16		2.10
CBH-4232-340					120	300			2.63
CBH-4232-410					150	370			3.00