


ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ

Дисковые прорезные фрезы

- Пластины, стр. 183 - 189
- Режимы резания, стр. 193 - 195



SB


Обозначение	Размеры (мм)							Z	H		МАХ. об/мин	Пластина LNGT	Ключ	
	D	AE	AR	P	d	C	B							
SB050-1.4-13	50	1.4	14.5	1.2	13	-	-	4	-	0.07	12000	1414 1415	150.10-30	
SB050-1.4-12.7					12.7			6			8000			
SB063-1.4-16	63		18		16				0.09	11000				
SB063-1.4-15.875					15.875									
SB080-1.4-22	80		22.5		22			8	6	0.09	8000			
SB080-1.4-25.4			19.5		25.4				6.35					
SB100-1.4-22	100		1.5		32.5			22	10	6	0.13			6300
SB100-1.4-25.4								25.4		6.35				
SB100-1.4-27								27		7				
SB125-1.4-22	125		45		22			12	6	0.20	5000			
SB125-1.4-25.4					25.4				6.35					
SB125-1.4-32					32				8					

* Ключ для корпуса продается отдельно.

Дисковые прорезные фрезы

- Пластины, стр. 183 - 189
- Режимы резания, стр. 193 - 195

SB



Прорезка
и отрезка

Обозначение	Размеры (мм)							Z	H		MAX. об/мин	Пластина LNGT	Ключ		
	D	AE	AR	P	d	C	B								
SB050-1.6-13	50	1.6	14.5	1.4	13	-	-	4	-	0.08	12000	1616	150.10-30		
SB050-1.6-12.7					12.7										
SB063-1.6-16	63		18		16			6			-			0.08	11000
SB063-1.6-15.875					15.875										
SB080-1.6-22	80		22.5		22			8	6	0.09					8000
SB080-1.6-25.4			19.5		25.4				6.35						
SB100-1.6-22	100		32.5		22			10	6	0.14	6300				
SB100-1.6-25.4			29.5		25.4				6.35						
SB100-1.6-27					27				7						
SB125-1.6-22	125		45		22			12	6	0.21	5000				
SB125-1.6-25.4			42		25.4				6.35						
SB125-1.6-32			39		32				8						
SB160-1.6-25.4	160		59.5		25.4			16	6.35	0.35	4000				
SB160-1.6-32			56.5		32				8						
SB160-1.6-40			52		40				10						


* Ключ для корпуса продается отдельно.



Дисковые прорезные фрезы

- Пластины, стр. 183 - 189
- Режимы резания, стр. 193 - 195

SB




Обозначение	Размеры (мм)							Z	H	 KG	MAX. об/мин	Пластина LNGT	Ключ
	D	AE	AR	P	d	C	B						
SB050-1.8-13	50	1.8	14.5	1.6	13	-	-	4	-	0.09	12000	1818	150.10-30
SB050-1.8-12.7					12.7								
SB063-1.8-16	63		18		16			6			11000		
SB063-1.8-15.875					15.875								
SB080-1.8-22	80		22.5		22			8	6	0.10	8000		
SB080-1.8-25.4			19.5		25.4				6.35				
SB100-1.8-22	100		32.5		22			10	6	0.15	6300		
SB100-1.8-25.4			29.5		25.4				6.35				
SB100-1.8-27					27				7				
SB125-1.8-22	125		45		22			12	6	0.22	5000		
SB125-1.8-25.4			42		25.4				6.35				
SB125-1.8-32			39		32				8				
SB160-1.8-25.4	160		59.5		25.4			16	6.35	0.38	4000		
SB160-1.8-32			56.5		32				8				
SB160-1.8-40			52		40				10				

* Ключ для корпуса продается отдельно.

Дисковые прорезные фрезы

- Пластины, стр. 183 - 189
- Режимы резания, стр. 193 - 195



Прорезка
и отрезка

SB

Обозначение	Размеры (мм)							Z	H		МАХ. об/мин	Пластина LNGT	Ключ			
	D	AE	AR	P	d	C	B									
SB050-2-13	50	2.0	14.5	1.75	13	-	-	4	-	0.08	12000	2020	150.10-30			
SB050-2-12.7					12.7									6		
SB063-2-16	63		18		16			8			6				0.10	8000
SB063-2-15.875					15.875											
SB080-2-22	80		22.5		22			10	6	0.16	6300					
SB080-2-25.4			19.5		25.4				6.35							
SB100-2-22	100		2.2		32.5			22	12	6	0.24			5000		
SB100-2-25.4					2.5			29.5		25.4					6.35	
SB100-2-27			27							7						
SB125-2-22	125		45		22			16	6	0.39	4000					
SB125-2-25.4			42		25.4				6.35							
SB125-2-32			39		32				8							
SB160-2-25.4	160	59.5	25.4		10			6.35	0.39	4000						
SB160-2-32		56.5	32					8								
SB160-2-40		52	40					10								


* Ключ для корпуса продается отдельно.



Дисковые прорезные фрезы

- Пластины, стр. 183 - 189
- Режимы резания, стр. 193 - 195

SB




Обозначение	Размеры (мм)							Z	H	 KG	МАХ. об/ мин	Пластина LNGT	Ключ		
	D	AE	AR	P	d	C	B								
SB200-2-25.4	200	2.0	79.5	1.75	25.4	-	-	20	6.35	0.64	3200	2020	150.10-30		
SB200M-2-25.4								26							
SB200-2-32			76.5		32	63	11	20	8					10	3200
SB200M-2-32								26							
SB200-2-40			72		40	90		20	10		3200				
SB200M-2-40								26							
SB250-2-25.4	250	2.2	104.5	1.75	25.4	-	-	26	6.35	0.96	2600	2022			
SB250M-2-25.4		2.5						34				8		10	2025
SB250-2-32		101.5	32		63	11	26	8	10						
SB250M-2-32							34								
SB250-2-40		97	40		90		26	10			2600				
SB250M-2-40							34								
SB285-2-32	285	119	32	63	11	28	8	1.12	2300						
SB285M-2-32						40									
SB050-2.5-13	50	2.5	14.5	2.25	13	-	-	4	-	0.1	12000	2525	150.10-30		
SB050-2.5-12.7		2.7			12.7							2527			
		3.0										2530			

* Ключ для корпуса продается отдельно.

Дисковые прорезные фрезы

- Пластины, стр. 183 - 189
- Режимы резания, стр. 193 - 195



Прорезка
и отрезка

SB


Обозначение	Размеры (мм)							Z	H		МАХ. об/мин	Пластина LNGT	Ключ		
	D	AE	AR	P	d	C	B								
SB063-2.5-16	63	2.5	18	2.25	16	-	-	6	-	0.11	11000	2525	150.10-30		
SB063-2.5-15.875					15.875										
SB080-2.5-22	80		22.5		22			8	6	0.12	8000				
SB080-2.5-25.4			19.5		25.4				6.35						
SB100-2.5-22	100		32.5		22			10	6	0.18	6300				
SB100-2.5-25.4			29.5		25.4				6.35						
SB100-2.5-27					27				7						
SB125-2.5-22	125		2.7		45			22	12	6	0.27			5000	2527
SB125-2.5-25.4			3.0		42			25.4		6.35					2530
SB125-2.5-32					39			32		8					
SB160-2.5-25.4	160		59.5		25.4			16	6.35	0.47	4000				
SB160-2.5-32			56.5		32				8						
SB160-2.5-40			52		40				10						
SB200-2.5-25.4	200		79.5		25.4			20	6.35	0.73	3200				
SB200M-2.5-25.4														26	

* Ключ для корпуса продается отдельно.



Дисковые прорезные фрезы

- Пластины, стр. 183 - 189
- Режимы резания, стр. 193 - 195



SB


Обозначение	Размеры (мм)							Z	H		MAX. об/ мин	Пластина LNGT	Ключ	
	D	AE	AR	P	d	C	B							
SB200-2.5-32	200	2.5	76.5	2.25	32	63	11	20	8	0.73	3200	2525 2527 2530	150.10-30	
SB200M-2.5-32								26						
SB200-2.5-40			72		40	90		20	10					
SB200M-2.5-40								26						
SB250-2.5-25.4	250		104.5		25.4	-	-	26	6.35	1.12	2600			
SB250M-2.5-25.4								34						
SB250-2.5-32			101.5		32	63	11	26	8					
SB250M-2.5-32								34						
SB250-2.5-40		97	40	90	26	10								
SB250M-2.5-40					34									
SB300-2.5-25.4		300	129.5	25.4	-	-	30	6.35	1.61					2200
SB300M-2.5-25.4							40							
SB300-2.5-32	126.5		32	63	11	30	8							
SB300M-2.5-32						40								
SB300-2.5-40	122		40	90		30	10							
SB300M-2.5-40						40								

* Ключ для корпуса продается отдельно.

Дисковые прорезные фрезы

- Пластины, стр. 183 - 189
- Режимы резания, стр. 193 - 195

SB



Прорезка
и отрезка

Обозначение	Размеры (мм)							Z	H	 KG	МАХ. об/мин	Пластина LNGT	Ключ	
	D	AE	AR	P	d	C	B							
SB050-3-13	50	3.0	14.5	2.7	13	-	-	4	-	0.10	12000	3030 3032 3035	150.10-30	
SB050-3-12.7					12.7									
SB063-3-16	63		18		16			6	-	0.11	11000			
SB063-3-15.875					15.875									
SB080-3-22	80		22.5		22			8	6	0.13	8000			
SB080-3-25.4			19.5		25.4				6.35					
SB100-3-22	100		32.5		22			10	6	0.20	6300			
SB100-3-25.4			3.2		29.5				25.4					6.35
SB100-3-27					27				7					
SB125-3-22	125		3.5		45			22	12	6	0.31			5000
SB125-3-25.4					42			25.4		6.35				
SB125-3-32					39			32		8				
SB160-3-25.4					160			59.5		25.4				
SB160-3-32	56.5		32					8						
SB160-3-40	52		40					10						
SB200-3-25.4	200		79.5		25.4			20	6.35	0.85	3200			
SB200M-3-25.4														26


* Ключ для корпуса продается отдельно.



Дисковые прорезные фрезы

- Пластины, стр. 183 - 189
- Режимы резания, стр. 193 - 195

SB




Обозначение	Размеры (мм)							Z	H		МАХ. об/ мин	Пластина LNGT	Ключ				
	D	AE	AR	P	d	C	B										
SB200-3-32	200	3.0 3.2 3.5	76.5	2.7	32	63	11	20	8	0.85	3200	3030 3032 3035	150.10-30				
SB200M-3-32								26									
SB200-3-40			72		40	90		20	10								
SB200M-3-40								26									
SB250-3-25.4	250		104.5		25.4	-	-	11	26	6.35	1.38			2600			
SB250M-3-25.4									34								
SB250-3-32			101.5		32	63	26		8								
SB250M-3-32							34										
SB250-3-40			97		40	90	26	10									
SB250M-3-40							34										
SB300-3-25.4			300		129.5	25.4	-	-	11	30					6.35	1.86	2200
SB300M-3-25.4										40							
SB300-3-32	126.5				32	63	40	8									
SB300M-3-32										40							
SB300-3-40	122				40	90	30	10									
SB300M-3-40							40										

* Ключ для корпуса продается отдельно.

Дисковые прорезные фрезы

- Пластины, стр. 183 - 189
- Режимы резания, стр. 193 - 195

SB



Прорезка
и отрезка

Обозначение	Размеры (мм)							Z	H	 KG	МАХ. об/мин	Пластина LNGT	Ключ	
	D	AE	AR	P	d	C	B							
SB050-4-13	50	4.0	14.5	3.7	13	-	-	4	-	0.09	12000	4040 4042 4045	150.10-30	
SB050-4-12.7					12.7									
SB063-4-16	63		18		16			6	-	0.12	11000			
SB063-4-15.875					15.875									
SB080-4-22	80		22.5		22			8	6	0.15	8000			
SB080-4-25.4			19.5		25.4				6.35					
SB100-4-22	100		32.5		22			10	6	0.25	6300			
SB100-4-25.4			4.2		29.5				25.4					6.35
SB100-4-27					27				7					
SB125-4-22	125		4.5		45			22	12	6	0.40			5000
SB125-4-25.4			42		25.4			6.35						
SB125-4-32			39		32			8						
SB160-4-25.4			160		59.5			25.4		16				
SB160-4-32	56.5				32			8						
SB160-4-40	52				40			10						
SB200-4-25.4	200		79.5		25.4			20	20	6.35	1.02			3200
SB200M-4-25.4								26						

* Ключ для корпуса продается отдельно.

