


UFO T-slot Inserts

- Toolholders P. 24
- Cutting Data P. 147 - 148



Dimensions (mm)				
D	d1	AE	Max. AR	R
10	6.5	0.5-0.6	1.5	R0.05 ± 0.025
		0.7-0.8		
		0.9-1.0		
		1.1-1.2		
		1.3-1.4		
		1.5-1.6		
		1.7-1.8		
		1.9-2.0		
		2.2-2.5		
		3.0		

★ Only *ME, B100 & ME, F20" insert are designed with corner radius.


Inserts	Order Code	Grades										
		Carbide					Cermet	Uncoated				
		B100	C200	C250	F20	F30	CE100	CE60	K10	CE		
 4 flutes	3T0610-0.5-E											
	3T0610-0.6-E											
	3T0610-0.7-E											
	3T0610-0.8-E											
	3T0610-0.9-E											
	3T0610-1.0-E											
	3T0610-1.1-E											
	3T0610-1.2-E											
	3T0610-1.3-E											
	3T0610-1.4-E											
	3T0610-1.5-E											
	3T0610-1.6-E											
	3T0610-1.7-E											
	3T0610-1.8-E											
	3T0610-1.9-E											
3T0610-2.0-E												
3T0610-2.2-E												
3T0610-2.5-E												
3T0610-3.0-E												
 4 flutes	3T0610-0.5-ME	⊗										
	3T0610-0.6-ME	⊗										
	3T0610-0.7-ME	⊗										
	3T0610-0.8-ME	⊗										
	3T0610-0.9-ME	⊗										
	3T0610-1.0-ME	⊗										
	3T0610-1.1-ME	⊗										
	3T0610-1.2-ME	⊗										
	3T0610-1.3-ME	⊗										
	3T0610-1.4-ME	⊗										
	3T0610-1.5-ME	⊗										
	3T0610-1.6-ME	⊗										
	3T0610-1.7-ME	⊗										
	3T0610-1.8-ME	⊗										
	3T0610-1.9-ME	⊗										
3T0610-2.0-ME	⊗											
3T0610-2.2-ME	⊗											
3T0610-2.5-ME	⊗											
3T0610-3.0-ME	⊗											

Inserts 2 PCS / Box

-  Steel  Stainless Steel  Steel/Stainless Steel/Super alloy  Cast Iron  Aluminum  Steel/Cast Iron
-  Steel/Stainless Steel/Cast Iron
- Prices and stocks are based on present conditions
- Please specify model numbers and the grade of inserts, ie.: 3T0610-0.5-E,K10

UFO T-slot Inserts

- Toolholders P. 24
- Cutting Data P. 147 - 148



Dimensions (mm)				
D	d1	AE	Max. AR	R
11	6.5	0.5-0.6	2.0	R0.05 ± 0.025
		0.7-0.8		
		0.9-1.0		
		1.1-1.2		
		1.3-1.4		
		1.5-1.6		
		1.7-1.8		
		1.9-2.0		
		2.2-2.5		
		3.0		

* Only "ME, B100 & ME, F20" insert are designed with corner radius.

Inserts	Order Code	Grades								
		Carbide					Cermet		Uncoated	
		B100	C200	CZ50	F20	F30	CE100	CE60	K10	CE
 4 flutes	3T0611-0.5-E									
	3T0611-0.6-E									
	3T0611-0.7-E									
	3T0611-0.8-E									
	3T0611-0.9-E									
	3T0611-1.0-E									
	3T0611-1.1-E									
	3T0611-1.2-E									
	3T0611-1.3-E									
	3T0611-1.4-E									
	3T0611-1.5-E									
	3T0611-1.6-E									
	3T0611-1.7-E									
	3T0611-1.8-E									
	3T0611-1.9-E									
	3T0611-2.0-E									
	3T0611-2.2-E									
	3T0611-2.5-E									
	3T0611-3.0-E									
 4 flutes	3T0611-0.5-ME	⊙								
	3T0611-0.6-ME	⊙								
	3T0611-0.7-ME	⊙								
	3T0611-0.8-ME	⊙								
	3T0611-0.9-ME	⊙								
	3T0611-1.0-ME	⊙								
	3T0611-1.1-ME	⊙								
	3T0611-1.2-ME	⊙								
	3T0611-1.3-ME	⊙								
	3T0611-1.4-ME	⊙								
	3T0611-1.5-ME	⊙								
	3T0611-1.6-ME	⊙								
	3T0611-1.7-ME	⊙								
	3T0611-1.8-ME	⊙								
	3T0611-1.9-ME	⊙								
	3T0611-2.0-ME	⊙								
	3T0611-2.2-ME	⊙								
	3T0611-2.5-ME	⊙								
	3T0611-3.0-ME	⊙								


* M.O.Q: 12PCS
* Make-to-Order.

- Steel Stainless Steel Steel/Stainless Steel/Super alloy Cast Iron Aluminum Steel/Cast Iron
- Prices and stocks are based on present conditions
- Please specify model numbers and the grade of inserts, ie.: 3T0611-0.5-E,K10



UFO T-slot Inserts

- Toolholders P. 24
- Cutting Data P. 147 - 148



Tolerances (mm)
D : ± 0.02 AE : ± 0.015

Staggered teeth
(AE ≥ 1.5mm)



Dimensions (mm)				
D	d1	AE	Max. AR	R
12	6.5	0.5-0.6	2.5	R0.05 ± 0.025
		0.7-0.8		
		0.9-1.0		
		1.1-1.2		
		1.3-1.4		
		1.5-1.6		
		1.7-1.8		
		1.9-2.0		
		2.2-2.5		
		3.0		

* Only "ME, B100 & ME, F20"
insert are designed with corner radius.


Inserts	Order Code	Grades											
		Carbide					Cermets		Uncoated				
		B100	C200	C250	F20	F30	CE100	CE60	K10	CE			
 4 flutes	3T0612-0.5-E												
	3T0612-0.6-E												
	3T0612-0.7-E												
	3T0612-0.8-E												
	3T0612-0.9-E												
	3T0612-1.0-E												
	3T0612-1.1-E												
	3T0612-1.2-E												
	3T0612-1.3-E												
	3T0612-1.4-E												
	3T0612-1.5-E												
	3T0612-1.6-E												
	3T0612-1.7-E												
	3T0612-1.8-E												
	3T0612-1.9-E												
3T0612-2.0-E													
3T0612-2.2-E													
3T0612-2.5-E													
3T0612-3.0-E													
 4 flutes	3T0612-0.5-ME	⊙											
	3T0612-0.6-ME	⊙											
	3T0612-0.7-ME	⊙											
	3T0612-0.8-ME	⊙											
	3T0612-0.9-ME	⊙											
	3T0612-1.0-ME	⊙											
	3T0612-1.1-ME	⊙											
	3T0612-1.2-ME	⊙											
	3T0612-1.3-ME	⊙											
	3T0612-1.4-ME	⊙											
	3T0612-1.5-ME	⊙											
	3T0612-1.6-ME	⊙											
	3T0612-1.7-ME	⊙											
	3T0612-1.8-ME	⊙											
	3T0612-1.9-ME	⊙											
	3T0612-2.0-ME	⊙											
	3T0612-2.2-ME	⊙											
	3T0612-2.5-ME	⊙											
	3T0612-3.0-ME	⊙											

Inserts 2 PCS / Box

- Steel Stainless Steel Steel/Stainless Steel/Super alloy Cast Iron Aluminum Steel/Cast Iron
- Steel/Stainless Steel/Cast Iron
- Prices and stocks are based on present conditions
- Please specify model numbers and the grade of inserts, ie.: 3T0612-0.5-E,K10

UFO T-slot Inserts

- Toolholders P. 25
- Cutting Data P. 147 - 148



Dimensions (mm)			
D	d1	AE	Max. AR
13	8	0.5-0.6	2.0
		0.7-0.8	
		0.9-1.0	
		1.1-1.2	
		1.3-1.4	
		1.5-1.6	
		1.7-1.8	
		1.9-2.0	
		2.2-2.5	
		3.0	
		4.0	

Inserts	Order Code	Grades								
		Carbide					Cermet		Uncoated	
		B100	C200	C250	F20	F30	CE100	CE60	K10	
 4 flutes	3T0813-0.5-E									
	3T0813-0.6-E									
	3T0813-0.7-E									
	3T0813-0.8-E									
	3T0813-0.9-E									
	3T0813-1.0-E									
	3T0813-1.1-E									
	3T0813-1.2-E									
	3T0813-1.3-E									
	3T0813-1.4-E									
	3T0813-1.5-E									
	3T0813-1.6-E									
	3T0813-1.7-E									
	3T0813-1.8-E									
	3T0813-1.9-E									
	3T0813-2.0-E									
	3T0813-2.2-E									
	3T0813-2.5-E									
	3T0813-3.0-E									
	3T0813-4.0-E									

- M.O.Q: 12PCS
- Make-to-Order.


- M.O.Q: 12PCS
- Make-to-Order.

- Steel Stainless Steel Steel/Stainless Steel/Super alloy Cast Iron Aluminum Steel/Cast Iron
- Steel/Stainless Steel/Cast Iron
- Prices and stocks are based on present conditions
- Please specify model numbers and the grade of inserts, i.e.: 3T0813-0.5-E,K10



UFO T-slot Inserts

- Toolholders P. 25
- Cutting Data P. 147 - 148



Dimensions (mm)				
D	d1	AE	Max. AR	R
13	8	0.5-0.6	2.0	R0.05 ± 0.025
		0.7-0.8		
		0.9-1.0		
		1.1-1.2		
		1.3-1.4		
		1.5-1.6		
		1.7-1.8		
		1.9-2.0		
		2.2-2.5		
		3.0		
		4.0		


Inserts	Order Code	Grades								
		Carbide					Cermet		Uncoated	
		B100	C200	C250	F20	F30	CE100	CE60	K10	CE
 4 flutes	3T0813-0.5-ME	⊙								
	3T0813-0.6-ME	⊙								
	3T0813-0.7-ME	⊙								
	3T0813-0.8-ME	⊙								
	3T0813-0.9-ME	⊙								
	3T0813-1.0-ME	⊙								
	3T0813-1.1-ME	⊙								
	3T0813-1.2-ME	⊙								
	3T0813-1.3-ME	⊙								
	3T0813-1.4-ME	⊙								
	3T0813-1.5-ME	⊙								
	3T0813-1.6-ME	⊙								
	3T0813-1.7-ME	⊙								
	3T0813-1.8-ME	⊙								
	3T0813-1.9-ME	⊙								
	3T0813-2.0-ME	⊙								
	3T0813-2.2-ME	⊙								
	3T0813-2.5-ME	⊙								
	3T0813-3.0-ME	⊙								
	3T0813-4.0-ME	⊙								

* M.O.Q: 12PCS
* Make-to-Order.

-  Steel  Stainless Steel  Steel/Stainless Steel/Super alloy  Cast Iron  Aluminum  Steel/Cast Iron
-  Steel/Stainless Steel/Cast Iron
- Prices and stocks are based on present conditions
- Please specify model numbers and the grade of inserts, ie.: 3T0813-0.5-ME,B100

UFO T-slot Inserts

- Toolholders P. 25
- Cutting Data P. 147 - 148



Dimensions (mm)			
D	d1	AE	Max. AR
14	8	0.5-0.6	2.5
		0.7-0.8	
		0.9-1.0	
		1.1-1.2	
		1.3-1.4	
		1.5-1.6	
		1.7-1.8	
		1.9-2.0	
		2.2-2.5	
		3.0	
		4.0	

Inserts	Order Code	Grades									
		Carbide					Cermet		Uncoated		
		B100	C200	C250	F20	F30	CE100	CE60	K10	CE	
 4 flutes	3T0814-0.5-E										
	3T0814-0.6-E										
	3T0814-0.7-E										
	3T0814-0.8-E										
	3T0814-0.9-E										
	3T0814-1.0-E										
	3T0814-1.1-E										
	3T0814-1.2-E										
	3T0814-1.3-E										
	3T0814-1.4-E										
	3T0814-1.5-E										
	3T0814-1.6-E										
	3T0814-1.7-E										
	3T0814-1.8-E										
	3T0814-1.9-E										
	3T0814-2.0-E										
	3T0814-2.2-E										
	3T0814-2.5-E										
	3T0814-3.0-E										
	3T0814-4.0-E										

- * M.O.Q: 12PCS
- * Make-to-Order.


* M.O.Q: 12PCS
* Make-to-Order.

-  Steel  Stainless Steel  Steel/Stainless Steel/Super alloy  Cast Iron  Aluminum  Steel/Cast Iron
-  Steel/Stainless Steel/Cast Iron
- Prices and stocks are based on present conditions
- Please specify model numbers and the grade of inserts, ie.: 3T0814-0.5-E,K10



UFO T-slot Inserts

- Toolholders P. 25
- Cutting Data P. 147 - 148



Dimensions (mm)				
D	d1	AE	Max. AR	R
14	8	0.5-0.6	2.5	R0.05 ± 0.025
		0.7-0.8		
		0.9-1.0		
		1.1-1.2		
		1.3-1.4		
		1.5-1.6		
		1.7-1.8		
		1.9-2.0		
		2.2-2.5		
		3.0		
		4.0		

Inserts	Order Code	Grades								
		Carbide					Cermet		Uncoated	
		B100	C200	C250	F20	F30	CE100	CE60	K10	
 4 flutes	3T0814-0.5-ME	☉								
	3T0814-0.6-ME	☉								
	3T0814-0.7-ME	☉								
	3T0814-0.8-ME	☉								
	3T0814-0.9-ME	☉								
	3T0814-1.0-ME	☉								
	3T0814-1.1-ME	☉								
	3T0814-1.2-ME	☉								
	3T0814-1.3-ME	☉								
	3T0814-1.4-ME	☉								
	3T0814-1.5-ME	☉								
	3T0814-1.6-ME	☉								
	3T0814-1.7-ME	☉								
	3T0814-1.8-ME	☉								
	3T0814-1.9-ME	☉								
	3T0814-2.0-ME	☉								
	3T0814-2.2-ME	☉								
	3T0814-2.5-ME	☉								
	3T0814-3.0-ME	☉								
	3T0814-4.0-ME	☉								


- * M.O.Q: 12PCS
- * Make-to-Order.

-  Steel  Stainless Steel  Steel/Stainless Steel/Super alloy  Cast Iron  Aluminum  Steel/Cast Iron
- Prices and stocks are based on present conditions
- Please specify model numbers and the grade of inserts, ie.: 3T0814-0.5-ME,B100

* M.O.Q: 12PCS
* Make-to-Order.

UFO T-slot Inserts

- Toolholders P. 25
- Cutting Data P. 147 - 148



Dimensions (mm)			
D	d1	AE	Max. AR
15	8	0.5-0.6	3.0
		0.7-0.8	
		0.9-1.0	
		1.1-1.2	
		1.3-1.4	
		1.5-1.6	
		1.7-1.8	
		1.9-2.0	
		2.2-2.5	
		3.0	
		4.0	

UFO Family

Inserts	Order Code	Grades								
		Carbide					Cermet		Uncoated	
		B100	C200	C250	F20	F30	CE100	CE60	K10	
 4 flutes	3T0815-0.5-E									
	3T0815-0.6-E									
	3T0815-0.7-E									
	3T0815-0.8-E									
	3T0815-0.9-E									
	3T0815-1.0-E									
	3T0815-1.1-E									
	3T0815-1.2-E									
	3T0815-1.3-E									
	3T0815-1.4-E									
	3T0815-1.5-E									
	3T0815-1.6-E									
	3T0815-1.7-E									
	3T0815-1.8-E									
	3T0815-1.9-E									
	3T0815-2.0-E									
	3T0815-2.2-E									
3T0815-2.5-E										
3T0815-3.0-E										
3T0815-4.0-E										



Inserts 2 PCS / Box


Inserts 2 PCS / Box

- Steel Stainless Steel Steel/Stainless Steel/Super alloy Cast Iron Aluminum Steel/Cast Iron
- Steel/Stainless Steel/Cast Iron
- Prices and stocks are based on present conditions
- Please specify model numbers and the grade of inserts, ie.: 3T0815-0.5-E,K10



UFO T-slot Inserts

- Toolholders P. 25
- Cutting Data P. 147 - 148



Dimensions (mm)				
D	d1	AE	Max. AR	R
15	8	0.5-0.6	3.0	R0.05 ± 0.025
		0.7-0.8		
		0.9-1.0		
		1.1-1.2		
		1.3-1.4		
		1.5-1.6		
		1.7-1.8		
		1.9-2.0		
		2.2-2.5		
		3.0		
		4.0		

Inserts	Order Code	Grades								
		Carbide					Cermet		Uncoated	
		B100	C200	C250	F20	F30	CE100	CE60	K10	CE
 4 flutes	3T0815-0.5-ME	⊙								
	3T0815-0.6-ME	⊙								
	3T0815-0.7-ME	⊙								
	3T0815-0.8-ME	⊙								
	3T0815-0.9-ME	⊙								
	3T0815-1.0-ME	⊙								
	3T0815-1.1-ME	⊙								
	3T0815-1.2-ME	⊙								
	3T0815-1.3-ME	⊙								
	3T0815-1.4-ME	⊙								
	3T0815-1.5-ME	⊙								
	3T0815-1.6-ME	⊙								
	3T0815-1.7-ME	⊙								
	3T0815-1.8-ME	⊙								
	3T0815-1.9-ME	⊙								
	3T0815-2.0-ME	⊙								
	3T0815-2.2-ME	⊙								
	3T0815-2.5-ME	⊙								
	3T0815-3.0-ME	⊙								
	3T0815-4.0-ME	⊙								





Inserts 2 PCS / Box

-  Steel  Stainless Steel  Steel/Stainless Steel/Super alloy  Cast Iron  Aluminum  Steel/Cast Iron
- Prices and stocks are based on present conditions
- Please specify model numbers and the grade of inserts, ie.: 3T0815-0.5-ME,B100

UFO T-slot Inserts

- Toolholders P. 26
- Cutting Data P. 147 - 148



Dimensions (mm)			
D	d1	AE	Max. AR
18	10	0.5-0.6	3.5
		0.7-0.8	
		0.9-1.0	
		1.1-1.2	
		1.3-1.4	
		1.5-1.6	
		1.7-1.8	
		1.9-2.0	
		2.2-2.5	
		3.0-4.0	
		4.2-5.0	
		6.0	
		8.0	

UFO Family

Inserts	Order Code	Grades								
		Carbide					Cermet		Uncoated	
		B100	C200	C250	F20	F30	CE100	CE60	K10	CE
 6 flutes	3T1018-0.5-E									
	3T1018-0.6-E									
	3T1018-0.7-E									
	3T1018-0.8-E									
	3T1018-0.9-E									
	3T1018-1.0-E									
	3T1018-1.1-E									
	3T1018-1.2-E									
	3T1018-1.3-E									
	3T1018-1.4-E									
	3T1018-1.5-E									
	3T1018-1.6-E									
	3T1018-1.7-E									
	3T1018-1.8-E									
	3T1018-1.9-E									
	3T1018-2.0-E									
	3T1018-2.2-E									
	3T1018-2.5-E									
	3T1018-3.0-E									
	3T1018-3.5-E									
	3T1018-4.0-E									
	3T1018-4.2-E									
	3T1018-4.5-E									
	3T1018-5.0-E									
	3T1018-6.0-E									
	3T1018-8.0-E									

* M.O.Q: 12PCS
* Make-to-Order.

- Steel Stainless Steel Steel/Stainless Steel/Super alloy Cast Iron Aluminum Steel/Cast Iron
- Steel/Stainless Steel/Cast Iron

- Prices and stocks are based on present conditions
- Please specify model numbers and the grade of inserts, ie.: 3T1018-0.5-E,K10



YIH TROUN ENTERPRISE CO., LTD